





EUCARBON®



-  ***evacuates intestines***
-  ***normalizes
and activate peristaltic***
-  ***adsorbs toxins***
-  ***keeps from meteorism***

**IDEAL REGULATOR
OF INTESTINAL FUNCTION**



1 tablet contains¹:

Sennae folium	105 mg
Extract rhea	25 mg
Herbal charcoal	180 mg
Sulfur	50 mg
Essential mint oil	0,5 mg
Essential fennel oil	0,5 mg



Herbal charcoal
absorbs toxins



**Essential mint oil
and Essential fennel oil**

have spasmolytic and anti-inflammatory effects



Sennae folium
has laxative effect



Sulfur
has laxative
and disinfectant activity



Extract rhea roots
has disinfectant and purgative effects


EUCARBON® contains only natural plant and mineral active ingredients, there is no synthetic product.

Using the different dose of EUCARBON gives the different effects ²

Adsorbent	Laxative
In dose 1-3 tablets per day acts as a sorbent	In dose from 4 till 6 tablets per day causes a laxative effect which begins after 8-10 hours after receiving
<p>If it is used during the long term it has the regulatory activity on the intestinal function. It is very important to decrease the dose in proportion as the patient state of health and stop the treatment when the expectable effect is achieved.</p>	

EUCARBON[®] is the effective regulator of the intestinal function³

Global Assessment of Efficacy after 12 Weeks Treatment with Eucarbon[®]



Synergic activity of EUCARBON[®]1, 2, 3:

- ☞ soft laxative
- ☞ improves intestinal motility
- ☞ soft spasmolytic activity
- ☞ detoxifying activity
- ☞ disinfectant activity in digestive tract
- ☞ reduces abdominal pain and other presentation of meteorism



Mode of use and dosage

Adults and adolescents from 12 years	To achieve the soft laxative effect 1-2 pills 1-3 times per day
To get strong laxative effect	Evening dose could be increased till the 3-4 tablets
For intensive purgation (for example, before X-ray examination)	6-8 tablets in the evening (adults)
Children from 2 till 12 years	1/2 - 1 tablet 1-3 times per day

Tablets should be taken with enough quantity of liquid with meals or after meal. The anthraquinone content in EUCARBON tablets is quite low, so the dosage regime should be selected individually depending on the stool consistency. With the laxative purpose it should not be given more than 2 weeks.

Contra-indications

Hypersensitivity to one of the components. In case of the intestinal obstruction, acute enterocolitis, abdominal pain without known cause, serious disorder of water and electrolyte balance, age till 2 years.

Side effects. In the recommended doses it does not even show preparation-related side effects.

Literature:

1. Farr C., Mahy P. Expert Report on the Toxicological and Pharmacological Documentation of Eucarbon Data on file (F.Trenka), 1999
2. Hubner W.D. Clinical Expert Report on Eucarbon Tablets 2004. Data on file. (F.Trenka) 2004
3. Hubner W.D., Alken R.G. Treatment of Patients Suffering from Constipation with Eucarbon, Modern Medicine, 2004
4. Instruction for medical use, Order MOH of Ukraine № 427 from 15.09.03

For the additional information, please, contact to Representative office of Pharmazeutische Fabrik MONTAVIT GmbH, Austria in Ukraine by telephone: (044) 436-11-48